Product RELOAD NO 1 SANITIZER DEGREASER CONCENTRATE

Revision date 18 September 2020

Revision 2



Safety Data Sheet (SDS)

according to Regulation (EC) No. 1907/2006

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name RELOAD NO 1 SANITIZER DEGREASER CONCENTRATE

Product no. REAQUATRIG

Synonyms, Trade names No information available.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified usesCleaning agent.Uses advised againstAny other purpose.

1.3 Details of the supplier of the safety data sheet

Supplier Kitchenmaster NI Ltd

11 Comber Road

Belfast BT8 8AN United Kingdom Tel: 028 90814777

Contact person sales@kitchenmaster-ni.com

1.4 Emergency telephone number

Emergency telephone Emergency Telephone Number: 028 9081 4777 08:30 – 17:00 Monday to Thursday 08:30 –

16:30 Friday

Section 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and chemical hazards Me. Corr 1 - H290 Human health Skin Corr. 1C - H314 Environment Aquatic Chronic 3 - H412

2.2 Label elements

Contains Sodium hydroxide

Benzyl-C12-14-alkyldimethylammonium chlorides

Detergent labeling <5% non-ionic surfactants <5% amphoteric surfactants

Label in accordance with (EC) no. 1272/2008



Signal word Danger

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements Prevention

P234 Keep only in original container.

P260 Do not breathe dust/fume/ gas/mist/vapours/spray.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

 $P303 + P361 + P353 \ IF \ ON \ SKIN \ (or hair): Remove/Take \ of fimmediately \ all \ contaminated \ clothing. Rinse \ skin \ with \ water/ \ shower.$

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

2.3 Other hazards

None known.

Section 3: Composition/identification of ingredients

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
CENTRADET N237/9	CAS-No.: 160901-19-9 EC No.: 931-954-4	Acute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H412	5-10%
Sodium hydroxide	CAS-No.: 1310-73-2 EC No.: 215-185-5 REACH Reg No.: 01-2119457892-27-XXXX	Skin Corr. 1A - H314, Me. Corr 1 - H290	1-5%
Benzyl-C12-14-alkyldimethylammonium chlorides	CAS-No.: 85409-22-9 EC No.: 939-350-2 REACH Reg No.: 01-2119970550-39-0000	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Acute Tox 4 - H302, Skin Corr. 1B - H314, Eye Dam. 1 - H318	1-5%
1-Propanaminium, 3-amino- N-(carboxymethyl)-N,N-dimethyl-, N-C- -18(even numbered) acyl derivs., hydroxides, inner salts	CAS-No.: EC No.: 931-296-8 REACH Reg No.: 01-2119488533-30-XXXX	Eye Dam. 1 - H318, Aquatic Chronic 3 - H412	1-5%
Dodecyldimethylamine oxide	CAS-No.: 1643-20-5 EC No.: 216-700-6	Acute Tox 4 - H302, Skin Irrit.2 - H315, Eye Dam. 1 - H318, Aquatic Acute 1 - H400	1-5%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Section 4: First aid measures

Eye contact

4.1 Description of first aid measures

General information As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical

attention for all burns and eye injuries, regardless how minor they may seem. First aid personnel must be aware of own risk during rescue. Provide general first aid, rest, warmth

and fresh air.

Inhalation Move the exposed person to fresh air at once. If breathing is difficult, oxygen should be

 $administered\ by\ qualified\ personnel.\ If\ not\ breathing,\ give\ artificial\ respiration.\ Get\ prompt$

medical attention.

IngestionGet medical attention immediately. Do not induce vomiting. Provided the patient is fully conscious, washout mouth with water. Never give anything by mouth to an unconscious

person. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter

the lungs. Artificial respiration and/or oxygen may be necessary.

Skin contact Take off contaminated clothing and shoes immediately. Promptly flush contaminated skin

with water. Continue to rinse for at least 15 minutes. Seek medical attention immediately. SPEED IS ESSENTIAL. Avoid contaminating unaffected eye. Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. Remove contact lenses if present and

easy to do so. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependant of the concentration and the

length of exposure.

Inhalation Inhalation may cause respiratory irritation.

IngestionMay cause chemical burns in mouth and throat. May cause stomach pain or vomiting.Skin contactMay cause serious chemical burns to the skin. Symptoms: Redness, swelling of tissue, burns,

ulceration.

Eye contact May cause irreversible eye damage. Symptoms may include redness, lachrymation, swelling

of tissue, burns.

4.3 Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1 Extinguishing media

Extinguishing media Use extinguishing measures that are appropriate to local circumstances and the surrounding

environment. Water spray. Water fog. Foam. Dry powder. Carbon dioxide. Dry chemical.

Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products Unusual fire & explosion hazards

Specific hazards

 $\label{thm:condition} Hazardous\ decomposition\ products\ formed\ under\ fire\ conditions.$ Flammable hydrogen can form when the product contacts metals.

During fire, gases hazardous to health may be formed. Do not allow run-off from fire fighting

to enter drains or water courses.

5.3 Advice for firefighters

Special fire fighting procedures

If possible, fight fire from protected position. Ventilate closed spaces before entering them. Keep up-wind to avoid fumes. Containers close to fire should be removed immediately or cooled with water. Suppress (knock down) gasses/vapours/mists with a water spray. Avoid breathing fire vapours.

Protective equipment for firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Do not mix with other chemicals. Wear protective clothing as described in Section 8 of this

safety data sheet. Avoid inhalation of vapours and contact with skin and eyes. Provide adequate ventilation. In case of inadequate ventilation, use respiratory protection. Eliminate

all sources of ignition.

For emergency responders Follow safe handling advice and personal protective equipment recommendations for normal

use of product.

6.2 Environmental precautions

Environmental precautions Avoid discharge into drains, water courses or onto the ground. Spillages or uncontrolled

discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency

or other appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Spill clean up methods Ventilate and evacuate the area. Eliminate all ignition sources. Wear necessary protective

equipment DO NOT touch spilled material! Stop leak if possible without risk. Use non -

metallic tools/containers for clean up.

Absorb spillage with inert, damp, non-combustible material or use a liquid binding material. Place waste material into suitable labelled sealed containers for disposal. Remove waste

promptly to a safe area. Flush with plenty of water to clean spillage area.

6.4 Reference to other sections

Reference to other sections See section 1 for emergency contact. For personal protection, see section 8. For waste

disposal, see section 13.

Section 7: Handling and storage

7.1 Precautions for safe handling

Handling

Read and follow manufacturer's recommendations. Use personal protective equipment, see Section 8. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Ensure adequate ventilation. If necessary, use local exhaust ventilation.

Keep away from flammable materials and incompatible substances. Use only equipment and materials which are compatible with the product. Do not confine the product in a circuit, between closed valves, or in a container without a vent. Always wash hands after handling.

7.2 Conditions for safe storage, including any incompatibilities

Storage precautions Keep locked up and out of reach of children. Store in tightly closed original container in a

cool, dry and well-ventilated place.

Storage class Corrosive storage

7.3 Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description Use only according to directions.

Section 8: Exposure controls/Personal protection


8.1 Control parameters

Component	STD	TWA ((8 Hrs)	STEL (1	5mins)	Notes
Sodium hydroxide	OEL				2 mg/m ³	
Sodium hydroxide	WEL				2 mg/m ³	

Ingredient comments

WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits. Ireland, Occupational Exposure Limits 2020.

8.2 Exposure Controls





Engineering measures

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory equipment

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU). If the respirator is the sole means of protection, use a full-face supplied air respirator. Self-contained breathing apparatus (EN 133). Respirator with a vapour filter (EN 141). In case of decomposition (see section 10), face mask with combined type B-P2 cartridge.

Hand protection

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Gloves must be inspected prior to

Suggested material: Butyl-rubber. Minimum layer thickness: \geq 0.35 mm. Break through time: 480 min. Gloves must be inspected prior to use. Consult manufacturer for specific advice on material. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product.

Eye protection

Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN

166(EU).

Other protection Wear appropriate clothing to prevent any possibility of skin contact. The selected clothing

must satisfy the European norm standard EN 943. Protective clothing should be selected based on the task being performed and the risks involved and should be approved by a

specialist before handling this product.

Hygiene measures DO NOT SMOKE IN WORK AREA! Wash hands after handling. Wash promptly if skin

becomes wet or contaminated. Promptly remove any clothing that becomes contaminated.

When using do not eat, drink or smoke.

Process conditions Keep container tightly sealed when not in use. Ensure that eye flushing systems and safety

showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

AppearanceClear liquid.ColourBright Pink.OdourCharacteristic.

Odour threshold - lower No information available as testing has not been completed.

Odour threshold - upperNo information available as testing has not been completed.

pH-Value, Conc. Solution >13

pH-Value, Diluted solution Not applicable as the product is a concentrated solution.

Melting point No information available as testing has not been completed.

Initial boiling point and boiling

range

No information available as testing has not been completed.

Flash point Not applicable as the product is not flammable.

Evaporation rate No information available as testing has not been completed.

Flammability state Not applicable as the product is not flammable.

Flammability limit - lower(%) Not applicable as the product is not flammable.

Flammability limit - upper(%) Not applicable as the product is not flammable.

Vapour pressure No information available as testing has not been completed.

Vapour density (air=1) No information available as testing has not been completed.

Relative density 1.05 - 1.07 kg/l (at 20°C)

Bulk density Not applicable as the product is a liquid.

Solubility Soluble in water.

Decomposition temperature No information available as testing has not been completed.

Partition coefficient; n-

Octanol/Water

No information available as testing has not been completed.

Auto ignition temperature (°C) Not applicable as the product is not flammable.

Viscosity No information available as testing has not been completed.

Explosive properties Not classified as explosive.

Oxidising properties The product does not meet the criteria to be classified as oxidising.

9.2 Other information

Molecular weight Not applicable as the product is a mixture.

Volatile organic compoundNo information available as testing has not been completed.

Other information None noted.

Section 10: Stability and reactivity

10.1 Reactivity

Reactivity Corrosive to metals. Reaction with acids.

10.2 Chemical stability

Stability Stable under normal temperature conditions and recommended use. Corrosive in contact

with metals.

10.3 Possibility of hazardous reactions

Hazardous reactions For information on hazardous reaction see section 10.1.

Hazardous polymerisationUnknown.Polymerisation descriptionNot applicable.

10.4 Conditions to Avoid

Conditions to avoid Heat, sparks, open flames, temperature extremes and direct sunlight. To avoid thermal

decomposition do not overheat. Keep away from contact with metals (Nickel, Copper, Cobalt,

Aluminium, Manganese, etc.). Avoid freezing.

10.5 Incompatible materials

Materials to avoid Metals, Salts of metals, Acids, Organic materials. Avoid contact with oxidising agents.

10.6 Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. Decomposition may lead to the release of flammable hydrogen gas.

Section 11: Toxicological information

11.1 Information on toxicological effects

Toxicological information Caustic/ irritant effect on skin, eyes and mucous membranes (Respiratory tract).

Acute toxicity (Oral LD50)No information available as testing has not been completed.Acute toxicity (Dermal LD50)No information available as testing has not been completed.Acute toxicity (Inhalation LD50)No information available as testing has not been completed.

Serious eye damage/irritation Causes serious eye damage.

Skin corrosion/irritationThe product is classified as a skin corrosion/irritation hazard.

Respiratory sensitisationThe product is not classified as a respiratory hazard. **Skin sensitisation**The product is not classified as a skin sensitisation hazard.

Germ cell mutagenicity The product is not classified as a mutagen.

Carcinogenicity The product is not classified as a carcinogen hazard.

Specific target organ toxicity - Single exposure:

STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.

Specific target organ toxicity - Repeated exposure:

 $\textbf{STOT-Repeated exposure} \qquad \qquad \text{The product is not classified as a repeat exposure specific target organ toxin.}$

Inhalation Inhalation may cause respiratory irritation.

IngestionMay cause chemical burns in mouth and throat. May cause stomach pain or vomiting.Skin contactMay cause serious chemical burns to the skin. Symptoms: Redness, swelling of tissue, burns,

ulceration.

Eye contact May cause irreversible eye damage. Symptoms may include redness, lachrymation, swelling

 $of\ tissue,\ burns.$

Waste management Dispose of in accordance with local and national regulations. When handling waste,

consideration should be made to the safety precautions applying to handling of the product.

Routes of entry Eyes, skin, ingestion or inhalation.

Target organs Eyes, skin, digestive system, respiratory system.

Aspiration hazards: The product is not classified as an aspiration hazard. **Reproductive toxicity:** The product is not classified as a reproductive hazard.

Name	LD50 oral	LD50 dermal	LD50 inhalation
Benzyl-C12-14-alkyldimethylammonium chlorides	397.50mg/kg Rat	3412.00mg/kg Rabbit	
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-C8-18(even numbered) acyl derivs., hydroxides, inner salts	2335.00mg/kg Rat	>2000.00mg/kg Rat	
CENTRADET N237/9	>300.00mg/kg Rat	>2000.00mg/kg Rabbit	

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - FishNo information available as testing has not been completed.Acute toxicity - Aquatic invertebratesNo information available as testing has not been completed.Acute toxicity - Aquatic plantsNo information available as testing has not been completed.Acute toxicity - MicroorganismsNo information available as testing has not been completed.Chronic toxicity - FishNo information available as testing has not been completed.Chronic toxicity - AquaticNo information available as testing has not been completed.

invertebrates

Chronic toxicity - Aquatic plantsNo information available as testing has not been completed.Chronic toxicity - MicroorganismsNo information available as testing has not been completed.

Ecotoxicity The product contains a substance which is toxic to aquatic life with long lasting effects.

Eco toxilogical information The product contains a substance which is harmful to aquatic organisms.

12.2 Persistence and degradability

DegradabilityThe degradability of the product has not been stated.Biological oxygen demandNo information available as testing has not been completed.Chemical oxygen demandNo information available as testing has not been completed.

12.3 Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Bioaccumulation factor
Partition coefficient; nOctanol/Water

No information available as testing has not been completed.
No information available as testing has not been completed.

12.4 Mobility in soil

Mobility Soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB Substances.

12.6 Other adverse effects

Other adverse effects No information available.

Name	Acute toxicity (Fish)	Acute toyicity (Aquatic invertebrates)	Acute toxicity (Aquatic plants)
Dodecyldimethylamine oxide	LC50 96 Hours 31.80ppm Brachydanio rerio (Zebra Fish)	EC50 48 Hours >3.90ppm Daphnia magna	
Sodium hydroxide	LC50 96 Hours 125.00mg/l Freshwater Fish		
CENTRADET N237/9		EC50 48 Hours 1.00mg/l Daphnia magna	

Section 13: Disposal considerations

Waste management Dispose of in accordance with local and national regulations. When handling waste,

consideration should be made to the safety precautions applying to handling of the product.

13.1 Waste treatment methods

Disposal methods Dispose of waste and residues in accordance with local authority requirements. Dispose in a

safe manner in accordance with local/national regulations.

Section 14: Transport information

14.1 UN number

UN no. (ADR) UN1760
UN no. (IMDG) UN1760
UN no. (IATA) UN1760

14.2 UN proper shipping name

ADR proper shipping name CORROSIVE LIQUID, N.O.S. (sodium hydroxide caustic soda + Benzyl-C12--

4-alkyldimethylammonium chlorides)

IMDG proper shipping name CORROSIVE LIQUID, N.O.S. (sodium hydroxide caustic soda + Benzyl-C12-

4-alkyldimethylammonium chlorides)

IATA proper shipping name CORROSIVE LIQUID N.O.S. (sodium hydroxide caustic soda + Benzyl-C12--

4-alkyldimethylammonium chlorides)

14.3 Transport hazard class(es)

ADR class 8
IMDG class 8
IATA class 8

Transport labels



14.4 Packing group

ADR/RID/ADN packing group II
IMDG packing group II
IATA packing group II

14.5 Environmental hazards

ADR No IMDG No IATA No

14.6 Special precautions for user

EMS F-A, S-B
Emergency action code A3 A803
Hazard no. (ADR) 80
Tunnel restriction code (E)

14.7 Transport in bulk according to annex II of MARPOL73/78 and the IBC code

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Commission Regulation (EC) 987/2008 of 8 October

 $2008\,\mathrm{amending}\,\mathrm{Regulation}$ (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

as regards Annexes IV and V.

Approved code of practice Workplace Exposure Limits Guidance Note EH40/2005.

2020 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2015) and the Safety, Health and Welfare at Work (Carcinogens)

Regulations (2001-2019)

Chemical safety assessment No chemical safety assessment has been carried out.

Section 16: Other information

General information This Safety Data Sheet is in accordance with Reach Regulation (EC) No 453/2010

Revision commentsThis is a second issue. [1]Information updated. [2]Information updated. [3]Information

updated. [5]Information updated. [8]Information updated. [9]Information updated.

 $[10] Information\ updated.\ [11] Information\ updated.\ [12] Information\ updated.\ [15] Information$

updated.

Revision date 18 September 2020 **Supersedes date** 05 July 2017

Revision 2

Safety data sheet status Approved.

Hazard statements in full

H302 Harmful if swallowed.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.