Product

Revision date 15 June 2022

Revision

Deep Clean HD Degreaser Sanitizer

1.1 Safety Data Sheet (SDS) according to Regulation (EC) No. 1907/2006 Section 1: Identification of the substance/mixture and of the company/undertaking **1.1** Product identifier Product name **Deep Clean HD Degreaser Sanitizer** Product no. HSC605DEEP Other means of identification No information available. 1.2 Relevant identified uses of the substance or mixture and uses advised against **Identified uses** Cleaning and Disinfecting Agent (Professional Use Only). Uses advised against Any other purpose. 1.3 Details of the supplier of the safety data sheet Supplier Kitchenmaster NI Ltd 11 Comber Road Belfast BT8 8AN United Kingdom Tel: 028 9081477 02890812881 sales@kitchenmaster-ni.com **Contact person** 1.4 Emergency telephone number Emergency Telephone Number: 028 9081 4777 08:30 - 17:00 Monday to Thursday 08:30 -**Emergency telephone** 16:30 Friday UFI Code: PRQV-AOKO-ROOH-JYUU Section 2: Hazards identification 2.1 Classification of the substance or mixture Classification (EC 1272/2008) Physical and chemical hazards Me. Corr 1 - H290 Human health Skin Corr. 1B - H314 Environment Aquatic Acute 1 - H400, Aquatic Chronic 2 - H411

2.2 Label elements

Contains Detergent labeling	Disodium metasilicate pentahydrate Benzyl-C12-14-alkyldimethylammonium chlorides sodium hydroxide potassium hydroxide <5% amphoteric surfactants <5% non-ionic surfactants <5% phosphonates
Label in accordance with (EC) no. 1272/2008	
Signal word	Danger
Hazard statements	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

	H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Precautionary statements	Prevention
	P260 Do not breathe dust/fume/ gas/mist/vapours/spray.
	P280 Wear protective gloves/ protective clothing/eye protection/face protection.
	Response
	P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	P303 + P361 + P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/ shower.
	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 Immediately call a POISON CENTER or doctor/physician.
Other haganda	

2.3 Other hazards

None known.

	Section 3: Composition	/information on ingredients
--	------------------------	-----------------------------

3.1 Substance

Not applicable.

3.2 Mixtures

Name	Product identifier	Regulation (EC) No 1272/2008	%
Disodium metasilicate pentahydrate	CAS-No.: 10213-79-3 EC No.: 229-912-9 REACH Reg No.: 01-2119449811-37-XXXX	Me. Corr 1 - H290, Me. Corr 1 - H290, Skin Corr. 1B - H314, STOT SE 3 - H335	1-5%
Alcohols, C12-13, branched and linear, ethoxylated	CAS-No.: 160901-19-9 EC No.: 931-954-4	Acute Tox 4 - H302, Eye Dam. 1 - H318, Aquatic Chronic 3 - H412	1-5%
Benzyl-C12-14-alkyldimethylammonium chlorides	CAS-No.: 85409-22-9 EC No.: 939-350-2 REACH Reg No.: 01-2119970550-39-0000	Aquatic Acute 1 - H400, Aquatic Chronic 1 - H410, Acute Tox 4 - H302, Skin Corr. 1B - H314, Eye Dam. 1 - H318	1-5%
[nitrilotris(methylene)]trisphosphonic acid, sodium salt	CAS-No.: 20592-85-2 EC No.: 243-900-0	Skin Irrit.2 - H315, Eye Dam. 1 - H318	1-5%
Tetrasodium (1-hydroxyethylidene)bisphosphonate	CAS-No.: 3794-83-0 EC No.: 223-267-7	Skin Irrit.2 - H315, Eye Dam. 1 - H318	0.1-0.9%
[nitrilotris(methylene)]trisphosphonic acid, potassium salt	CAS-No.: 27794-93-0 EC No.: 248-660-0	Skin Irrit.2 - H315, Eye Dam. 1 - H318	0.1-0.9%
Heptasodium trihydrogen [[bis[2- [bis(phosphonatomethyl)amino]ethyl]amino]methyl]phosphonate	CAS-No.: 68155-78-2 EC No.: 268-990-9		0.1-0.9%
sodium hydroxide	CAS-No.: 1310-73-2 EC No.: 215-185-5	Skin Corr. 1A - H314	<0.1%
potassium hydroxide	CAS-No.: 1310-58-3 EC No.: 215-181-3	Acute Tox 4 - H302, Skin Corr. 1A - H314	<0.1%

The full text for all hazard statements are displayed in section 16.

Composition comments

The data shown are in accordance with the latest EC Directives.

Potassium hydroxide: Specific Concentration Limits = H315, Skin Irrit. $2 \ge 0.5 - < 2$; H319 Eye Irrit. $2 \ge 0.5 - < 2$; H314 Skin Corr. $1B \ge 2 - < 5$; H314 Skin Corr. $1A \ge 5$. Sodium Hydroxide : Specific Concentration Limits = Eye Irrit. 2; H319: 0,5 % <= C < 2 %, Skin Corr. 1A; H314: C >= 5 %, Skin Corr. 1B; H314: 2 % <= C < 5 %, Skin Irrit. 2; H315: 0,5 % <= C < 2 %.

Benzyl-C12-14-alkyldimethylammonium chlorides: M-Factor acute=10, M-Factor chronic = 1.

Section 4: First aid measures

4.1 Description of first aid measures

General information

Provide general first aid, rest, warmth and fresh air. As a general rule, in case of doubt or if symptoms persist, always call a doctor. Seek medical attention for all burns and eye injuries,

	regardless how minor they may seem. First aid personnel must be aware of own risk during rescue.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention.
Ingestion	If this product is ingested, remove victim immediately from source of exposure. Rinse mouth thoroughly. Do not induce vomiting. Provide fresh air, warmth and rest. Get medical attention. Never give anything by mouth to an unconscious person.
Skin contact	Remove victim immediately from source of exposure. Wash the skin immediately with water Remove contaminated clothing, shoes and jewelry and wash before reuse. Obtain medical attention if irritation persists or if blistering occurs.
Eye contact	Do not rub eye. If this product contacts the eyes, gently flush eyes with water for at least fifteen (15) minutes, lifting the upper and lower eyelids occasionally. Remove contact lenses if present and easy to do so. Avoid contaminating unaffected eye. Seek medical attention.

4.2 Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Inhalation of mist or vapor may cause respiratory tract irritation.
Ingestion	May cause chemical burns in mouth and throat. May cause severe internal injury.
Skin contact	Corrosive. Cause severe skin burns.
Eye contact	Corrosive to eyes. Causes severe eye damage.
Ingestion Skin contact	Inhalation of mist or vapor may cause respiratory tract irritation. May cause chemical burns in mouth and throat. May cause severe internal injury. Corrosive. Cause severe skin burns.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to the physician	Treat symptomatically.

Section 5: Firefighting measures

5.1 Extinguishing media

Extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	High volume water jet.

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products	When heated, toxic and corrosive vapours/gases may be formed. During fire, toxic gases (CO,
	CO2) are formed.
Unusual fire & explosion hazards	Water used for fire fighting may become corrosive in contact with the product. Flammable
	hydrogen can form when the product contacts metals.
Specific hazards	Fire creates: Carbon monoxide (CO). Carbon dioxide (CO2). Water used for fire
	extinguishing, which has been in contact with the product, may be corrosive.

5.3 Advice for firefighters

Special fire fighting procedures	If possible, fight fire from protected position. Avoid breathing fire vapours. Ventilate closed
	spaces before entering them. Containers close to fire should be removed immediately or
	cooled with water if safe to do so. Do not release runoff from fire to drains or watercourses.
Protective equipment for firefighters Fire-fighters should wear appropriate protective equipment and self-contained breathing	
	apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-
	fighters (including helmets, protective boots and gloves) conforming to European standard
	EN 469 will provide a basic level of protection for chemical incidents.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel For emergency responders	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Eliminate all sources of ignition. Avoid inhalation of vapours and contact with skin and eyes. In case of inadequate ventilation, use respiratory protection. Do not touch or walk through spilled material. If necessary evacuate surrounding areas. Follow safe handling advice and personal protective equipment recommendations for normal use of product.
6.2 Environmental precautions	
Environmental precautions	Do not discharge onto the ground or into water courses. Spillages or uncontrolled discharges

into watercourses must be IMMEDIATELY alerted to the Environmental Protection Agency or local authority.

6.3 Methods and material for containment and cleaning up

Spill clean up methods	Stop leak if possible without risk Eliminate all ignition sources. Ventilate and evacuate the area. When dealing with a spillage, wear necessary protective equipment. DO NOT touch spilled material! Cover drains.	
	Absorb spillage with non-combustible, inert absorbent material. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Wash thoroughly after dealing with a spillage.	
6.4 Reference to other sections		
Reference to other sections	See section 1 for emergency contact. For personal protection, see section 8. For waste disposal, see section 13.	
Section 7: Handling and storage		
7.1 Precautions for safe handling		
Handling	Read and follow manufacturer's recommendations. Use proper personal protection when handling (refer to Section 8). Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Do not eat, drink or smoke when using the product. Wash thoroughly after handling.	
7.2 Conditions for safe storage, including any incompatibilities		
Storage precautions	Keep upright, locked up and out of reach of children. Keep the product in its original container. Store in cool dry areas away from direct sunlight or sources of ignition. Keep away from incompatible materials (see section 10).	
Storage class	Corrosive storage.	
7.3 Specific end use(s)		
Specific end use(s) Usage description	The identified uses for this product are detailed in Section 1.2. Use only according to directions. Replace and tighten cap after use.	

8.1 Control parameters

Component	STD	TWA (8	Hrs)	STEL (1	5mins)	Notes
sodium hydroxide	OEL				2 mg/m ³	
sodium hydroxide	WEL				2 mg/m ³	
potassium hydroxide	OEL				2 mg/m ³	
potassium hydroxide	WEL				2 mg/m ³	

Ingredient comments

Ireland, Occupational Exposure Limits 2021. WEL - Workplace Exposure Limits - EH40/2005 Workplace exposure limits.

8.2 Exposure Controls



Engineering measures

Respiratory equipment

The need for specific engineering measures or local extraction ventilation is not anticipated when product is stored, handled or used for recommended purposes in normal conditions. Use of respiratory protection is not normally required. If local COSHH risk assessment suggests that ventilation is considered inadequate, seek advice from supplier about suitable respiratory protection Where risk assessment shows air-purifying respirators are appropriate a full face respirator

	conforming to EN143 should be used, and suitable respirator cartridges as a backup to engineering controls. If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/145/143/149. The specific respirator selected must be based on contamination levels found in the work place. Recommended: Respirator with combination filter for vapour/particulate (EN 141). Use type ABEK (EN 14387) respirator cartridges.
Hand and the sticks	Consult manufacturer for specific advice.
Hand protection	Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374) is recommended. (EU Directive 89/686/EEC). Gloves must be inspected prior to use. Suggested material: Butyl-rubber. Breakthrough time: >480 minutes. Minimum layer thickness: 0.7 mm. Consult manufacturer for advice.
	Selection of the glove material depends on consideration of the penetration times, rates of diffusion and degradation, and concentration specific to the workplace. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.
Eye protection	Wear safety goggles or face shield to prevent any possibility of eye contact. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).
Other protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handing this product. The selected clothing must satisfy the European norm standard EN 943.
Hygiene measures	Observe normal hygiene standards. Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after use.
Process conditions	Ensure that eye flushing systems and safety showers are located close by in the work place.

Section 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance Colour Odour	Liquid. Clear. Colourless - Pale Straw. Characteristic.	
Odour threshold - lower	No information available as testing has not been completed.	
Odour threshold - upper	No information available as testing has not been completed.	
pH-Value, Conc. Solution	>13	
pH-Value, Diluted solution	Not applicable as the product is a concentrated solution.	
Melting point	No information available as testing has not been completed.	
Initial boiling point and boiling range	No information available as testing has not been completed.	
Flash point	Non-Flammable	
Evaporation rate	No information available as testing has not been completed.	
Flammability state	Not applicable as the product is not flammable.	
Flammability limit - lower(%)	Not applicable as the product is not flammable.	
Flammability limit - upper(%)	Not applicable as the product is not flammable.	
Vapour pressure	No information available as testing has not been completed.	
Vapour density (air=1)	No information available as testing has not been completed.	
Relative density	1.02 - 1.04 kg/l (at 20°C)	
Bulk density	Not applicable as the product is a liquid.	
Solubility	Soluble in water.	
Decomposition temperature	No information available as testing has not been completed.	
Partition coefficient; n- Octanol/Water	Not applicable as the product is a mixture.	

Auto ignition temperature (°C)	Not applicable as the product is not flammable.	
Viscosity	No information available as testing has not been completed.	
Explosive properties	Not classified as explosive.	
Oxidising properties	The product does not meet the criteria to be classified as oxidising.	
9.2 Other information		
Molecular weight	Not applicable as the product is a mixture.	
Volatile organic compound	No information available as testing has not been completed.	
Other information	None noted.	

Section 10: Stability and reactivity	
10.1 Reactivity	
Reactivity	Reaction with: Strong oxidising agents. Reaction with strong acid. Corrosive to metals.
10.2 Chemical stability	
Stability	Stable under normal temperature conditions and recommended use.
10.3 Possibility of hazardous reactions	
Hazardous reactions Hazardous polymerisation Polymerisation description	For information on hazardous reaction see section 10.1. Unknown Unknown.
10.4 Conditions to Avoid	
Conditions to avoid	Heat, sparks, open flames, temperature extremes and direct sunlight.
10.5 Incompatible materials	
Materials to avoid	Avoid oxidising agents. Strong acids. Do not mix with other chemicals unless listed on directions. Avoid contact with metals.
10.6 Hazardous decomposition products	$\mathbf{\hat{s}}$
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Section 11: Toxicological information

11.1 Information on hazard classses as defined in Regulation (EC) No. 1272/2008

Toxicological information	No toxicological information for the overall finished product.	
Acute toxicity (Oral LD50) Acute toxicity (Dermal LD50) Acute toxicity (Inhalation LD50)	No information available as testing has not been completed. No information available as testing has not been completed. No information available as testing has not been completed.	
Serious eye damage/irritation	Causes severe eye damage.	
Skin corrosion/irritation	The product is classified as a skin corrosion/irritation hazard.	
Respiratory sensitisation Skin sensitisation	The product is not classified as a respiratory hazard. The product is not classified as a skin sensitisation hazard.	
Germ cell mutagenicity	The product is not classified as a mutagen.	
Carcinogenicity	The product is not classified as a carcinogen hazard.	

Specific target organ toxicity - Single exposure:				
STOT - Single exposure The product is not classified as a single exposure specific target organ toxin.				
Specific target organ toxicity - Repeated exposure:				
STOT - Repeated exposure	The product is not classified as a repeat exposure specific target organ toxin.			
Inhalation	Inhalation of mist or vapor may cause respiratory tract irritation.			
Ingestion	May cause chemical burns in mouth and throat. May cause severe internal injury.			
Skin contact	Corrosive. Cause severe skin burns.			
Eye contact	Corrosive to eyes. Causes severe eye damage.			
Waste management	When handling waste, consideration should be made to the safety precautions applying to			
	handling of the product.			
Routes of entry	Eyes, skin, ingestion or inhalation.			
Target organs	Eyes, skin, digestive system, respiratory system.			
Aspiration hazards:	The product is not classified as an aspiration hazard.			
Reproductive toxicity:	The product is not classified as a reproductive hazard.			

Name	LD50 oral	LD50 dermal	LD50 inhalation
Benzyl-C12-14-alkyldimethylammonium chlorides	397.50mg/kg Rat	3412.00mg/kg Rabbit	
Alcohols, C12-13, branched and linear, ethoxylated	>300.00mg/kg Rat	>2000.00mg/kg Rabbit	
Disodium metasilicate pentahydrate	1152.00mg/kg Rat	>5000.00mg/kg Rat	>2.06g/m3 Rat 4 Hours

11.2 Information on other hazards

Information on other hazards None known.

Section 12: Ecological information

12.1 Toxicity

Acute toxicity - Fish	No information available as testing has not been completed.
Acute toxicity - Aquatic invertel	prates No information available as testing has not been completed.
Acute toxicity - Aquatic plants	No information available as testing has not been completed.
Acute toxicity - Microorganisms	No information available as testing has not been completed.
Chronic toxicity - Fish	No information available as testing has not been completed.
Chronic toxicity - Aquatic invertebrates	No information available as testing has not been completed.
Chronic toxicity - Aquatic plants	s No information available as testing has not been completed.
Chronic toxicity - Microorganis	sms No information available as testing has not been completed.
Ecotoxicity	Very toxic to aquatic life with long lasting effects.
Eco toxilogical information	The product contains a substance which is toxic to aquatic organisms
2.2 Persistence and degradability	
2.2 Persistence and degradability Degradability Biological oxygen demand Chemical oxygen demand	The degradability of the product has not been stated. No information available as testing has not been completed. No information available as testing has not been completed.
Degradability Biological oxygen demand Chemical oxygen demand	No information available as testing has not been completed.
Degradability Biological oxygen demand Chemical oxygen demand	No information available as testing has not been completed.
Degradability Biological oxygen demand Chemical oxygen demand 2.3 Bioaccumulative potential	No information available as testing has not been completed. No information available as testing has not been completed.
Degradability Biological oxygen demand Chemical oxygen demand 2.3 Bioaccumulative potential Bioaccumulative potential	No information available as testing has not been completed. No information available as testing has not been completed. No data available on bioaccumulation.

12.4 Mobility in soil

Mobility

Soluble in water.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment The product does not contain any PBT or vPvB substances.

12.6 Endocrine disrupting properties

Endocrine disrupting properties

The product does not contain any substances with endocrine disrupting properties at a concentration above or equal to 0.1%.

12.7 Other adverse effects

Other adverse effects

None known.

Name	Acute toxicity (Fish)	Acute foxicity (Aquafic invertebrates)	Acute toxicity (Aquatic plants)
Alcohols, C12-13, branched and linear, ethoxylated		EC50 48 Hours 1.00mg/l Daphnia magna	
Disodium metasilicate pentahydrate	LC50 96 Hours 210.00mg/l Brachydanio rerio (Zebra Fish)	EC50 48 Hours 1700.00mg/l Daphnia magna	EC50 72 Hours 207.00mg/l Scenedesmus Subspicatus

Section 13: Disposal considerations	
Waste management	When handling waste, consideration should be made to the safety precautions applying to handling of the product.
13.1 Waste treatment methods	
Disposal methods	Dispose of waste and residues in accordance with local authority requirements. For waste disposal, use a licensed industrial waste disposal agent.
Section 14: Transport information	
14.1 UN number or ID number	
UN no. (ADR)	UN1760
UN no. (IMDG)	UN1760

UN no. (IMDG)	UN1760
UN no. (IATA)	UN1760

14.2 UN proper shipping name

ADR proper	shipping	name
------------	----------	------

IMDG proper shipping name


IATA proper shipping name

CORROSIVE LIQUID, N.O.S. (Disodium metasilicate pentahydrate + Benzyl-C12--4-alkyldimethylammonium chlorides) CORROSIVE LIQUID, N.O.S. (Disodium metasilicate pentahydrate + Benzyl-C12--4-alkyldimethylammonium chlorides) CORROSIVE LIQUID N.O.S. (Disodium metasilicate pentahydrate + Benzyl-C12--4-alkyldimethylammonium chlorides)

14.3 Transport hazard class(es)

ADR class	
IMDG class	
IATA class	

Transport labels



8 8 8

III III III

Yes Yes

Yes

14.4 Packing group

ADR/RID/ADN packing group IMDG packing group IATA packing group	
14.5 Environmental hazards	
ADR IMDG IATA	

Revision Date: 15 June 2022 - Revision: 1

14.6 Special precautions for user

EMS	F-A, S-B
Emergency action code	A3 A803
Hazard no. (ADR)	80
Tunnel restriction code	(E)

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

Section 15: Regulatory information

15.1 Safety, health and environmental regulations/Legislation specific for the substance or mixture

EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. The UN Globally Harmonized System (GHS) Safety Data Sheet format (Annex IV) is implemented as Annex II of REACH EU No 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
	REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.
	Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019.
Approved code of practice	Workplace Exposure Limits Guidance Note EH40/2005.
	2021 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations (2001-2021) and the Safety, Health and Welfare at Work (Carcinogens) Regulations (2001-2019)
15.2 Chemical safety assessment	

Chamical as faty as a same No shamical as faty as a same with a h

Chemical safety assessment	No chemical safety assessment has been carried out.
----------------------------	---

Section 16: Other information

General information	This Safety Data Sheet is in accordance with REACH Annex II, (EC) No 2020/878. Workplace Exposure Limits Guidance Note EH40/2005. (Fourth Edition 2020)
Revision comments	This is a first issue.
Revision date	15 June 2022
Revision	1.1
Safety data sheet status	Approved.

Hazard statements in full

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H315	Causes skin irritation.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.