

#### Safety Data Sheet dated 3/12/2021, version 1

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification Trade name: FRIGGITRICE UFI: PVQ5-10U1-G00C-P6PF 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Detergent for hard surfaces. Professional use (SU22) - Washing and cleaning products (PC35) Uses advised against: Different uses than recommended. Do not use in combination with other products. 1.3. Details of the supplier of the safety data sheet Manufacturer: SUTTER INDUSTRIES s.p.a. - Società con Unico Socio 15060 Borghetto Borbera (AL) Italia Tel. +39 0143 631.1 Competent person responsible for the safety data sheet: regulatory.affairs@sutter.it 1.4. Emergency telephone number +39 0143 631.1 mon-fri 9.00/17.00 **SECTION 2: Hazards identification** 2.1. Classification of the substance or mixture EC regulation criteria 1272/2008 (CLP)



Danger, Skin Corr. 1B, Causes severe skin burns and eye damage.

Danger, Eye Dam. 1, Causes serious eye damage.

Warning, STOT SE 3, May cause respiratory irritation.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards 2.2. Label elements Hazard pictograms:



Danger Hazard statements: H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects. Precautionary statements: P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves and eye/face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

0712800/1 Page n. 1 of15



P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P501 Dispose of contents in accordance with local regulation.

Special Provisions:

EUH210 Only for professional use. Safety data sheet available on request. Contains

SODIUM METASILICATE PENTAHYDRATE SODIUM SILICATE DICHLORISOCYANURATE

Product contents:

chlorine-based bleaching agents, non-ionic surfactants

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration  $\geq 0.1\%$ Other Hazards:

No other hazards

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not Applicable, the product is a mixture.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification: >= 30% - < 50% SODIUM METASILICATE PENTAHYDRATE

REACH No.: 01-2119449811-37, Index number: 014-010-00-8, CAS: 10213-79-3, EC: 229-912-9

< 5 %

- 3.2/1B Skin Corr. 1B H314
- 3.3/1 Eye Dam. 1 H318
- 3.8/3 STOT SE 3 H335
- 2.16/1 Met. Corr. 1 H290

>=19% - < 29% sodium carbonate REACH No.: 01-2119485498-19, Index number: 011-005-00-2, CAS: 497-19-8, EC: 207-838-8

3.3/2 Eye Irrit. 2 H319

>= 5% - < 10% SODIUM SILICATE CAS: 1344-09-8, EC: 215-687-4

3.2/2 Skin Irrit. 2 H315





 3.8/3 STOT SE 3 H335

 Signal Stot SE 3 H335

 A: 1/A1 Aquatic Acute 1 H400

 A: 1/C1 Aquatic Chronic 1 H410

 Signal Stot Signal Stot Signal Signa Signal Signa Signal Signa Signal Signal Signal Signa Signa S

#### **SECTION 4: First aid measures**

ECTION 4: FIRST and measures
4.1. Description of first aid measures
In case of skin contact:
Immediately take off all contaminated clothing.
OBTAIN IMMEDIATE MEDICAL ATTENTION.
Remove contaminated clothing immediately and dispose off safely.
After contact with skin, wash immediately with soap and plenty of water.
In case of eyes contact:
After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.
Protect uninjured eye.
In case of Ingestion:
Do NOT induce vomiting.
In case of Inhalation:
In case of inhalation, consult a doctor immediately and show him packing or label.
4.2. Most important symptoms and effects, both acute and delayed
Acute effects:
Severe skin and eye irritation for contact.
Irritation interior system if swallowed.
Until revison date of this document, are unknown chronic effects from the mixture contact with
skin, eyes, inhalation, ingestion.
4.3. Indication of any immediate medical attention and special treatment needed
In case of accident or unwellness, seek medical advice immediately (show directions for use
or safety data sheet if possible).

0712800/1 Page n. 3 of15



Treatment: None

#### **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: Water.
  - Carbon dioxide (CO2).
  - Extinguishing media which must not be used for safety reasons:
  - None in particular.
- 5.2. Special hazards arising from the substance or mixture

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

Do not inhale explosion and combustion gases.

- Burning produces heavy smoke.
- 5.3. Advice for firefighters
  - Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

The mixture does not contain ingredients classified as explosive according to EC Regulation 1272/2008 (CLP).

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures
  - For non emergency personnel:

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

- Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. To converge the product in containment tanks.
- 6.4. Reference to other sections
  - See also section 8 and 13

#### **SECTION 7: Handling and storage**

- 7.1. Precautions for safe handling
  - Avoid contact with skin and eyes, inhalation of vapours and mists. Use localized ventilation system. Don't use empty container before they have been cleaned. Before making transfer operations, assure that there aren't any incompatible material residuals in the containers. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Contamined clothing should be changed before entering eating areas. Do not eat or drink while working.

0712800/1 Page n. 4 of15



7.2. Conditions for safe storage, including any incompatibilities Store away from sunlight. Store in a cool and well ventilated place. Store in area dedicated to alkaly products, keep away from acids and oxygen or peracetic acid based oxidants. Store away from heat sources. Do not store in open or unlabeled containers. Keep away from food, drink and feed. Incompatible materials: Acids and oxidants Store in area dedicated to alkaly products, keep away from acids and oxygen based oxidants and peracetic acid. Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2. Keep away from acids. Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular, see paragraph 1.2

#### **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters

Until the revision date of this document, no experimental data are available for the mixture. elow, listed occupational exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

EU - STEL(15min): 2 mg/m3 - Notes: sodium hydroxyde analogy

EU - STEL: 3 mg/m3 - Notes: OEL Inhalable fraction

EU - STEL: 10 mg/m3 - Notes: OEL respirable fraction

DICHLORISOCYANURATE - CAS: 51580-86-0

MAK - TWA: 0.02 mg/m3 - STEL: 0.02 mg/m3

DNEL Exposure Limit Values

Until the revision date of this document, no experimental data are available for the mixture. Below, listed the DNEL exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

Worker Industry: 6.22 mg/m3 - Consumer: 1.55 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Industry: 1.49 mg/kg - Consumer: 0.74 mg/kg - Exposure: Human Dermal - Frequency: Long Term, systemic effects - Notes: bw/d

Consumer: 0.74 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects - Notes: bw/d

sodium carbonate - CAS: 497-19-8

Worker Industry: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 10 mg/m3 - Exposure: Human Inhalation - Frequency: Short Term, local effects

SODIUM SILICATE - CAS: 1344-09-8

Worker Professional: 1.59 mg/kg - Consumer: 0.8 mg/kg - Exposure: Human Dermal - Frequency: Long Term, local effects

Worker Professional: 5.61 mg/m3 - Consumer: 1.38 mg/m3 - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 0.8 mg/kg - Exposure: Human Oral - Frequency: Long Term, local effects PNEC Exposure Limit Values



Until the revision date of this document, no experimental data are available for the mixture. Below, listed the PNEC exposure limits, if available, for the components listed in paragraph 3.2.

SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

Target: Marine water - Value: 1 mg/l

Target: Fresh Water - Value: 7.5 mg/l

Target: Air - Value: 7.5 mg/l

Target: Microorganisms in sewage treatments - Value: 1000 mg/l

SODIUM SILICATE - CAS: 1344-09-8

Target: Fresh Water - Value: 7.5 mg/l

Target: Marine water - Value: 1 mg/l

Target: Microorganisms in sewage treatments - Value: 348 mg/l

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.(EN 166)

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton (EN 14605 in case of splashes or EN 13982 in case of dust)

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber. (ex. EN 388 - EN 374 protection factor 6, corresponding to a breakthrough time >480 minutes).

Due to great diversity of types, observe the operating instructions of the manufacturer with respect to substances listed in paragraph 3.2.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged. (eg EN 140 or EN149)

Thermal Hazards:

The product is not flammable or explosive - see paragraph 2.1. The product contains no explosive components.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

Environmental exposure controls:

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also section 6.2.

Appropriate engineering controls:

No further technical checks suitable for your product under normal conditions.

See also section 1.2, section 7 and Exposure Scenario - Annex I of this document.

#### **SECTION 9: Physical and chemical properties**

9.1.	Information	on basic	physical	and	chemical	properties

Properties	Value	Method:	Notes:
Physical state:	Solid	Visual	
Colour:	white	Visual	
Odour:	Technical	Olfactory	
Odour threshold:	Evident	Olfactory	
Melting point/freezing point:	Not Relevant		Parameter not relevant for the type of product
Boiling point or initial boiling point and boiling range:	Not Relevant		Parameter not relevant for the type of product
Flammability:	non-flammabl e		Estimated parameter on chemical / physical properties of



			components.	
Lower and upper explosion limit:	Not Relevant		Parameter not relevant for product composition.	
Flash point:	Not Relevant		Parameter not relevant for the type of product	
Auto-ignition temperature:	Not Relevant		Parameter not relevant for product composition.	
Decomposition temperature:	Not Relevant		Parameter not relevant for product composition.	
pH:	12,0 +/- 0,5	Instrumental control		
Kinematic viscosity:	Not applicable			
Solubility in water:	Total		Estimated value on chemical / physical properties of components	
Solubility in oil:	Not Relevant		Parameter not relevant for product composition.	
Partition coefficient n-octanol/water (log value):	Not Relevant		Parameter not relevant for product composition.	
Vapour pressure:	Not Relevant		Parameter not relevant for product composition.	
Density and/or relative density:	Not Relevant		Parameter not relevant for the type of product	
Relative vapour density:	Not Relevant		Parameter not relevant for the type of product	
Particle characteristics:				
Particle size:	Not applicable			

9.2. Other information No other relevant information

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Do not use in combination with other products.

10.2. Chemical stability

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability.

10.3. Possibility of hazardous reactions

Store in area dedicated to alkaly products, keep away from acids and oxygen or peracetic acid based oxidants.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. See also scetion 7.2.

10.4. Conditions to avoid

Different uses than recommended. Do not use in combination with other products. See also 1.2 and 7.2

- 10.5. Incompatible materials
  - Acids and oxidants

Store in area dedicated to alkaly products, keep away from acids and oxygen based oxidants and peracetic acid.

Until the revision date of this document, no adverse effects and symptoms to exposure of the product are known, including chemical reactivity and instability. see also 1.2 and 7.2.



10.6. Hazardous decomposition products Toxic gas, chlorine.

#### **SECTION 11: Toxicological information**

```
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008
      Toxicological information of the product:
            FRIGGITRICE
            a) acute toxicity
                   Not classified
                   Based on available data, the classification criteria are not met
             b) skin corrosion/irritation
                   The product is classified: Skin Corr. 1B H314
             c) serious eve damage/irritation
                   The product is classified: Eye Dam. 1 H318
             d) respiratory or skin sensitisation
                   Not classified
                   Based on available data, the classification criteria are not met
             e) germ cell mutagenicity
                   Not classified
                   Based on available data, the classification criteria are not met
             f) carcinogenicity
                   Not classified
                   Based on available data, the classification criteria are not met

 a) reproductive toxicity

                   Not classified
                   Based on available data, the classification criteria are not met
             h) STOT-single exposure
                   The product is classified: STOT SE 3 H335
             i) STOT-repeated exposure
                   Not classified
                   Based on available data, the classification criteria are not met
            i) aspiration hazard
                   Not classified
                   Based on available data, the classification criteria are not met
      Toxicological information of the main substances found in the product:
             Below are reported, if available, the toxicological information of the components listed in
             paragraph 3.2.
             SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3
            a) acute toxicity:
                   Test: LD50 - Route: Oral - Species: Rat = 1152 mg/kg
                   Test: LC50 - Route: Inhalation - Species: Rat > 2.06 g/m3 - Duration: 4h
                   Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg bw/d
             b) skin corrosion/irritation:
                   Test: Skin Corrosive - Route: Skin Positive
             c) serious eye damage/irritation:
                   Test: Eye Corrosive Positive
             d) respiratory or skin sensitisation:
                   Test: Skin or Resp. Sensitization Negative
             h) STOT-single exposure:
                   Test: STOT Sing It can irritate the respiratory tract.
             i) STOT-repeated exposure:
                   Test: NOAEL - Route: Oral - Species: Rat = 227 mg/kg bw/d
             sodium carbonate - CAS: 497-19-8
             a) acute toxicity:
                   Test: LD50 - Route: Oral - Species: Rat = 2800 mg/kg
                   Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg
0712800/1
```



b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative c) serious eye damage/irritation: Test: Eye Irritant - Species: Rabbit Positive e) germ cell mutagenicity: Test: Mutagenesis Negative g) reproductive toxicity: Test: NOAEL - Route: Oral - Species: Mouse > 580 mg/kg SODIUM SILICATE - CAS: 1344-09-8 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 3400 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 2.6 g/m3 Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg LONG CHAIN ALCOHOL, ALKOXYLATE - CAS: 166736-08-9 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 500 mg/kg b) skin corrosion/irritation: Test: Skin Irritant - Route: Skin - Species: Rabbit Negative - Source: OECD 404 c) serious eve damage/irritation: Test: Eye Corrosive - Species: Rabbit Positive - Source: OECD 405 d) respiratory or skin sensitisation: Test: Skin or Resp. Sensitization Negative - Source: OECD 406 e) germ cell mutagenicity: Test: Mutagenesis Negative - Source: Ames test DICHLORISOCYANURATE - CAS: 51580-86-0 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat = 735 mg/kg Test: LD50 - Route: Skin - Species: Rat > 200 mg/kg 11.2. Information on other hazards Endocrine disrupting properties:

### No endocrine disruptor substances present in concentration >= 0.1%

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

#### FRIGGITRICE

The product is classified: Aquatic Chronic 3 - H412

SODIUM METASILICATE PENTAHYDRATE - CAS: 10213-79-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 210 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia = 1700 mg/l - Duration h: 48 - Notes: Daphnia magna

Endpoint: EC50 - Species: Algae = 207 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

```
sodium carbonate - CAS: 497-19-8
```

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 300 mg/l - Duration h: 96 - Notes: Lepomis macrochirus

Endpoint: EC50 - Species: Daphnia = 200 mg/l - Duration h: 48 - Notes: Ceriodaphnia dubia

SODIUM SILICATE - CAS: 1344-09-8

0712800/1 Page n. 9 of15



a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 1108 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: LC50 - Species: Fish = 260 mg/l - Duration h: 96 - Notes: Oncorhynchus mykiss

Endpoint: EC50 - Species: Algae = 207 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

LONG CHAIN ALCOHOL,

ALKOXYLATE - CAS: 166736-08-9

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 10 mg/l - Duration h: 96 - Notes: Brachydanio rerio Endpoint: EC50 - Species: Daphnia > 10 mg/l - Duration h: 48 - Notes: Daphnia magna Endpoint: EC50 - Species: Algae > 10 mg/l - Duration h: 72 - Notes: Scenedesmus subspicatus

Endpoint: EC10 - Species: Algae > 1 mg/l - Notes: Desmodesmus subspicatus DICHLORISOCYANURATE - CAS: 51580-86-0

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish = 0.22 mg/l - Duration h: 96 Endpoint: EC50 - Species: Daphnia = 0.196 mg/l

12.2. Persistence and degradability

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

LONG CHAIN ALCOHOL,

ALKOXYLATE - CAS: 166736-08-9

Biodegradability: Readily biodegradable - Test: OECD 301B - Duration: 28 days - %: >60

The surfactant(s) contained in this preparation complies with the biodegradability criteria laid down in Regulation (EC) No 648/2004 on detergents. All supporting data are kept available to the competent authorities of the Member States and will be provided to those authorities if they so request or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

- Not applicable
- 12.4. Mobility in soil

Until the revision date of this document, are not available experimental data on the mixture. Below are reported, if available, the eco-toxicological information of the components listed in paragraph 3.2.

- Not applicable
- 12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

- 12.6. Endocrine disrupting properties
- No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects

Until the revision date of this document, unknown adverse effects and symptoms towards the environment.

#### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force. Do not discharge into the ground or into drains. See also section 6



#### **SECTION 14: Transport information**



<ul> <li>14.1. UN number or ID number ADR-UN Number: IATA-UN Number: IMDG-UN Number:</li> <li>14.2. UN proper shipping name ADR-Shipping Name: IATA-Shipping Name:</li> </ul>	3262 3262 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM METASILICATE PENTAHYDRATE) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM METASILICATE PENTAHYDRATE) CORROSIVE SOLID, BASIC, INORGANIC, N.O.S. (SODIUM METASILICATE PENTAHYDRATE)
14.3. Transport hazard class(es)	
ADR-Class:	8
ADR - Hazard identification nu	mber: 80
IATA-Class:	8
IATA-Label:	8
IMDG-Class:	8
14.4. Packing group	
ADR-Packing Group:	III
IATA-Packing group:	III
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	No
IMDG-Marine pollutant:	No
IMDG-EmS:	F-A , S-B
14.6. Special precautions for user	
ADR-Subsidiary hazards:	- 274
ADR-S.P.: ADR-Transport category (Tunn	
IATA-Passenger Aircraft:	860
IATA-Passenger Aircraft.	000
IATA-Subsidiary hazards.	864
IATA-S.P.:	A3 A803
IATA-ERG:	8L
IMDG-Subsidiary hazards:	-
IMDG-Stowage and handling:	Category A
IMDG-Segregation:	SG35 SGG18
14.7. Maritime transport in bulk accor	ding to IMO instruments
Not applicable	-

#### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

0712800/1 Page n. 11 of15



Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: None Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None 15.2. Chemical safety assessment No, for instructions on safe mangling you see Sections 7 and 8 and the exposure scenario -Annex I of this document. A Chemical Safety Assessment has been carried out for the mixture. No Chemical Safety Assessment has been carried out for the mixture. Substances for which a Chemical Safety Assessment has been carried out:

None

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H335 May cause respiratory irritation.
H290 May be corrosive to metals.
H319 Causes serious eye irritation.
H315 Causes skin irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H302 Harmful if swallowed.
EUH031 Contact with acids liberates toxic gas.

Hazard class and hazard category	Code	Description
Met. Corr. 1	2.16/1	Substance or mixture corrosive to metals, Category 1
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1



Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure,
		Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Skin Corr. 1B, H314	On basis of test data (pH)
Eye Dam. 1, H318	On basis of test data (pH)
STOT SE 3, H335	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical
	Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
	Effective concentration, for 0/10/20/50/100 percent of test population.
100:	
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
юдо-п.	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
	Lethal concentration, for 0/10/20/50/100 percent of test population.
100:	
LD0/10/20/50/	Lethal dose, for 0/10/20/50/100 percent of test population.

0712800/1 Page n. 13 of15



100: NOEC: NOAEL(R)/N OAEC:	No Observed Effect Concentration No Observed Adverse Effect Level(Repeated)/Concentration
OECD:	Organisation for Economic Co-operation and Development
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.



ANNEX I

#### PROFESSIONAL PRODUCT – LAUNDRY or AUTOMATIC DISHWASH DETERGENT

Title of exposure scenario				
Detergent for general cleaning: Manual or machine process.				
Use description				
Sector Use	SU22 – Professional use			
Product Category	PC35 – Washing and cleaning products (including solvent			
	based products)			
Description of activities/process considered on expos	sure scenario.			
Use the recommended dose according to water hardness	ess and degree of soiling, following the instructions on the			
label or technical data sheet.				
Frequency and duration				
Use phase	1 or more times a day. Duration depends on washing			
	program.			
Relevant limit values of ingredients, if available, are sta	ated in section 8 of the SDS.			
Physical appearence and concentration				
Liquid or powder. To dilute.				
In section 2 of the SDS of product and on the label the	classification of mixture is provided.			
-	tion and on chemical/physical properties stated in section 9			
of the SDS of product.				
Use conditions				
Room temperature /for recommended washing temperature see label or tecnica sheet.				
Protezione				
See section 8 of the SDS of product to more	Training of worker to use and maintenance of PPE is			
information on PPE.	supposed.			
Don't eat or drink, don't smoke.	Avoid contact with damaged skin.			
No open flame.	Do not use in combination with other products			
Wash hand after use.				
In case of accidental release: dilute with water and dry.				
Follow use instruction as specified on the label or on technical sheet. Use good occupational hygiene practices as				
specified in section 7 on the SDS.				
Environmental measures				
See section 6 of the SDS in case of accidental release				
See section 12 of the SDS for ecotoxicological information of mixture and dangerous ingredients.				
See section 13 of the SDS for disposal considerations.	See section 13 of the SDS for disposal considerations.			

Note:

SDS: Safety Data Sheet

PPE: Personal Protection Equipment